



MAHLKÖNIG

GRINDER PRICE LIST 2025

EURO €


Valid from 08.10.2024
Supersedes all previously issued price lists.

All listed prices excl. VAT.
Subject to change without prior notice.




www.mahlkoenig.com

ALLROUND GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|-----------------|--------------------------------|-------------------------|---------------------------------------|--------------------|---|--|-------------------|
|  | EK Omnia | Premium cast steel Ø= 98 mm | 21.4 x 66.3 x 39 | approx. 250 g | 11.5-13.5 g/s | <ul style="list-style-type: none"> • Electric micro grind size adjustment in manual and automatic mode • Ultra-efficient BLDC motor nearly silent and heatless • High-resolution LED touchscreen for maximized ease-of-use • Patented Disc Distance Detection (DDD) • Easily removable chute with bag holder and integrated spotlight • WiFi module for updates and remote access • Incl. Adjustable Portafilter Holder can be switched with removable front cover | <ul style="list-style-type: none"> • 98 mm premium cast steel burrs (Turkish fine cut) <i>Art. no. 703803</i> 481,30 € | 3.199,00 € |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|-------|--------------------------------|---|---------------------------------------|---|----------------------|--|-------------------|
|  | EK43 | Premium cast steel Ø= 98 mm | 23 x 82.8 x 41 | approx. 1500 g | 19-21 g/s | • Bag holder | <ul style="list-style-type: none"> • Bean hopper with springloaded hopper slider (approx. 250 g) <i>Art. no. 703753</i> 109,00 € • Bean hopper with fold-up lid (approx. 500 g) <i>Art. no. 703754</i> 99,00 € • Bean hopper (approx. 800 g) <i>Art. no. 703292</i> 51,00 € • Alignment tool <i>Art. no. 105866</i> 75,00 € • Pulling tool <i>Art. no. 703750</i> 98,00 € • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € | 2.749,00 € |
| | | | <p>Turkish coffee grinding (EK43 T, EK43 ST)</p> <ul style="list-style-type: none"> - 98 mm premium cast steel burrs (Turkish fine cut) <i>Art. no. 703803</i> 481,30 € - Hard anodized pre-breaker for decreased grind speeds <i>Art. no. 703795</i> 157,00 € | | <p>Grain grinding (EG43)</p> <ul style="list-style-type: none"> - Grinder housing cover with extended grind size range <i>Art. no. 700475</i> 159,00 € - Adjusting spindle for extended grind size range <i>Art. no. 703759</i> 21,50 € - 98 mm premium cast steel burrs (grains cut) <i>Art. no. 703801</i> 484,80 € - Hard anodized pre-breaker for non-coffee <i>Art. no. 702916</i> 157,00 € | | | |
| | | | <p>Linseed grinding (EL43)</p> <ul style="list-style-type: none"> - 98 mm premium cast steel burrs (linseed cut) <i>Art. no. 703635</i> 456,60 € - Hard anodized pre-breaker for non-coffee <i>Art. no. 702916</i> 157,00 € | | <p>Spice grinding (EP43)</p> <ul style="list-style-type: none"> - Grinder housing cover with extended grind size range <i>Art. no. 700475</i> 159,00 € - Adjusting spindle for extended grind size range <i>Art. no. 703759</i> 21,50 € - Hard anodized pre-breaker for non-coffee <i>Art. no. 702916</i> 157,00 € | | | |
| | | | <p>Poppy seed grinding (EM43)</p> <ul style="list-style-type: none"> - 98 mm premium cast steel burrs (poppy seed cut) <i>Art. no. 703216</i> 473,80 € - Hard anodized pre-breaker for non-coffee <i>Art. no. 702916</i> 157,00 € | | | | | |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|--|-------------------------------|-------------------------|---------------------------------------|--------------------|--|-------------------|
|  | EK43 T Turkish fine premium cast steel Ø= 98 mm | 23 x 82.8 x 41 | approx. 1500 g | 10-12 g/s | • Bag holder | <ul style="list-style-type: none"> • Bean hopper with springloaded hopper slider (approx. 250 g) <i>Art. no. 703753</i> 109,00 € • Bean hopper with fold-up lid (approx. 500 g) <i>Art. no. 703754</i> 99,00 € • Bean hopper (approx. 800 g) <i>Art. no. 703292</i> 51,00 € • Alignment tool <i>Art. no. 105866</i> 75,00 € • Pulling tool <i>Art. no. 703750</i> 98,00 € • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € | 2.749,00 € |

Coffee grinding at 50 Hz

- 98 mm premium cast steel burrs (espresso fine cut)
Art. no. 703804
456,60 €
- Hard anodized pre-breaker increased grind speeds
Art. no. 702916
187,20 €

Coffee grinding at 60 Hz (EK43, EK43 S)

- 98 mm premium cast steel burrs (espresso fine cut)
Art. no. 703804
397,00 €

Linseed grinding (EL43)

- 98 mm premium cast steel burrs (linseed cut)
Art. no. 703635
456,60 €
- Hard anodized pre-breaker for non-coffee
Art. no. 702916
157,00 €

Poppy seed grinding (EM43)

- 98 mm premium cast steel burrs (poppy seed cut)
Art. no. 703216
473,80 €
- Hard anodized pre-breaker for non-coffee
Art. no. 702916
157,00 €


Grain grinding (EG43)

- Grinder housing cover with extended grind size range
Art. no. 700475
159,00 €
- Adjusting spindle for extended grind size range
Art. no. 703759
21,50 €
- 98 mm premium cast steel burrs (grains cut)
Art. no. 703801
484,80 €
- Hard anodized pre-breaker for non-coffee
Art. no. 702916
157,00 €


Spice grinding (EP43)

- Grinder housing cover with extended grind size range
Art. no. 700475
159,00 €
- Adjusting spindle for extended grind size range
Art. no. 703759
21,50 €
- Hard anodized pre-breaker for non-coffee
Art. no. 702916
157,00 €

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|--------|--------------------------------|-------------------------|---------------------------------------|--------------------|----------------------|---|-------------------|
|  | EK43 S | Premium cast steel Ø= 98 mm | 23 x 68 x 41 | approx. 800 g | 19-21 g/s | • Bag holder | <ul style="list-style-type: none"> • Bean hopper with springloaded hopper slider (approx. 250 g) <i>Art. no. 703753</i> 109,00 € • Bean hopper with fold-up lid (approx. 500 g) <i>Art. no. 703754</i> 99,00 € • Bean hopper (approx. 1500 g) <i>Art. no. 702926</i> 79,00 € • Alignment tool <i>Art. no. 105866</i> 75,00 € • Pulling tool <i>Art. no. 703750</i> 98,00 € • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € | 2.749,00 € |
| | | | | | | | | |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|---------|---|-------------------------|---------------------------------------|--------------------|----------------------|---|-------------------|
|  | EK43 ST | Turkish fine premium cast steel Ø= 98 mm | 23 x 68 x 41 | approx. 800 g | 10-12 g/s | • Bag holder | <ul style="list-style-type: none"> • Bean hopper with springloaded hopper slider (approx. 250 g) <i>Art. no. 703753</i> 109,00 € • Bean hopper with fold-up lid (approx. 500 g) <i>Art. no. 703754</i> 99,00 € • Bean hopper (approx. 1500 g) <i>Art. no. 702926</i> 79,00 € • Alignment tool <i>Art. no. 105866</i> 75,00 € • Pulling tool <i>Art. no. 703750</i> 98,00 € • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € | 2.799,00 € |

Coffee grinding at 50 Hz

- 98 mm premium cast steel burrs (espresso fine cut)
Art. no. 703804
456,60 €
- Hard anodized pre-breaker increased grind speeds
Art. no. 702916
187,20 €

Coffee grinding at 60 Hz (EK43, EK43 S)

- 98 mm premium cast steel burrs (espresso fine cut)
Art. no. 703804
456,60 €

Linseed grinding (EL43)

- 98 mm premium cast steel burrs (linseed cut)
Art. no. 703635
456,60 €
- Hard anodized pre-breaker for non-coffee
Art. no. 703794
157,00 €

Poppy seed grinding (EM43)

- 98 mm premium cast steel burrs (poppy seed cut)
Art. no. 703216
473,80 €
- Hard anodized pre-breaker for non-coffee
Art. no. 703794
157,00 €

Grain grinding (EG43)




- Grinder housing cover with extended grind size range
Art. no. 700475
159,00 €
- Adjusting spindle for extended grind size range
Art. no. 703759
21,50 €
- 98 mm premium cast steel burrs (grains cut)
Art. no. 703801
484,80 €
- Hard anodized pre-breaker for non-coffee
Art. no. 703794
157,00 €

Spice grinding (EP43)

- Grinder housing cover with extended grind size range
Art. no. 700475
159,00 €
- Adjusting spindle for extended grind size range
Art. no. 703759
21,50 €
- Hard anodized pre-breaker for non-coffee
Art. no. 703794
157,00 €




*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

ESPRESSO GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|---------------------------------------|-------------------------------|-------------------------|---------------------------------------|---|---|-------------------|
|  | E80W GbS Special steel Ø= 80 mm | 24 x 63 x 34 | approx. 1800 g | 6-8 g/s | <ul style="list-style-type: none"> • Cloud enabled electronics to pair with an espresso machine via The Sync System • Electrical adjustment of burr distance via small motor allowing for micro-adjustments • Grind-by-Weight technology with high-precision load cell for real-time weight control • Patented Disc Distance Detection (DDD) • Adjustable, removable and illuminated spout • High-resolution 3.5" display with a wide viewing angle | <ul style="list-style-type: none"> • Bean hopper (approx. 1200 g) <i>Art. no. 703328</i> 132,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Tool for 80 mm burr replacement <i>Art. no. 703290</i> 28,50 € • 80 mm premium cast steel burr <i>Art. no. 105780</i> 474,00 € • CB-certified aluminum adapter for Cans (Illy Art. 703724, UCC 703476) 222,00 € • Calibration weight 1 kg <i>Art. no. 703000</i> 94,00 € | 3.249,00 € |
|  | E80S GbW Special steel Ø= 80 mm | 24 x 63 x 34 | approx. 1800 g | 6-8 g/s | <ul style="list-style-type: none"> • Powerful motor with active temperature management • Grind-by-Weight technology with high-precision load cell for real-time weight control • Patented Disc Distance Detection (DDD) • Adjustable, removable and illuminated spout • High-resolution 3.5" display with a wide viewing angle | <ul style="list-style-type: none"> • Bean hopper (approx. 1200 g) <i>Art. no. 703328</i> 132,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Tool for 80 mm burr replacement <i>Art. no. 703290</i> 28,50 € • 80 mm premium cast steel burrs <i>Art. no. 105780</i> 474,00 € • CB-certified aluminum adapter for Cans (Illy Art. 703724, UCC 703476) 222,00 € • Calibration weight 1 kg <i>Art. no. 703000</i> 94,00 € | 3.149,00 € |
|  | E80S Special steel Ø= 80 mm | 24 x 63 x 34 | approx. 1800 g | 6-8 g/s | <ul style="list-style-type: none"> • Powerful motor with active temperature management • Patented Disc Distance Detection (DDD) • Adjustable, removeable and illuminated spout • High-resolution 3.5" display with a wide viewing angle | <ul style="list-style-type: none"> • Bean hopper (approx. 1200 g) <i>Art. no. 703328</i> 132,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Tool for 80 mm burr replacement <i>Art. no. 703290</i> 28,50 € • 80 mm premium cast steel burrs <i>Art. no. 105780</i> 474,00 € • CB-certified aluminum adapter for Cans (Illy Art. 703724, UCC 703476) 222,00 € | 2.599,00 € |



*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

ESPRESSO GRINDER



| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|----------|-------------------------------|-------------------------|---------------------------------------|--------------------|---|---|-------------------|
|  | E65W GbS | Special steel Ø= 65 mm | 19.5 x 62 x 28.3 | approx. 1200 g | 4-7 g/s | <ul style="list-style-type: none"> • Cloud enabled electronics to pair with an espresso machine via The Sync System • Electrical adjustment of burr distance via small motor allowing for micro-adjustments • Grind-by-Weight technology with high-precision • load cell for real-time-weight control • Patented Disc Distance Detection (DDD) • Adjustable, removable and illuminated spout • High-resolution 3.5 " display with a wide viewing angle | <ul style="list-style-type: none"> • Bean hopper (approx. 1800 g) <i>Art. no. 703071</i> 159,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Calibration weight 1 kg <i>Art. no. 703000</i> 94,00 € • Tool for 65 mm burr replacement <i>Art. no. 700974</i> 37,00 € • CB-certified aluminum adapter for Cans (<i>Illy Art. 703724, UCC 703476</i>) 222,00 € | 2.249,00 € |
|  | E65S GBW | Special steel Ø= 65 mm | 19.5 x 62 x 28.3 | approx. 1200 g | 4-7 g/s | <ul style="list-style-type: none"> • Grind-by-Weight technology with high-precision load cell for real-time weight control • Patented Disc Distance Detection (DDD) • Adjustable, removable and illuminated spout • High-resolution 3.5 " display with a wide viewing angle | <ul style="list-style-type: none"> • Bean hopper (approx. 1800 g) <i>Art. no. 703071</i> 159,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Calibration weight 1 kg <i>Art. no. 703000</i> 94,00 € • Tool for 65 mm burr replacement <i>Art. no. 700974</i> 37,00 € • CB-certified aluminum adapter for Cans (<i>Illy Art. 703724, UCC 703476</i>) 222,00 € | 2.299,00 € |
|  | E65S | Special steel Ø= 65 mm | 19.5 x 58.3 x 28.3 | approx. 1200 g | 4-7 g/s | <ul style="list-style-type: none"> • Innovative icon menu • High-resolution 2.4 " display with a wide viewing angle • Adjustable and removable spout | <ul style="list-style-type: none"> • Bean hopper (approx. 1800 g) <i>Art. no. 703071</i> 159,00 € • Bean hopper (approx. 250 g) <i>Art. no. 700995</i> 109,00 € • Tool for 65 mm burr replacement <i>Art. no. 700974</i> 37,00 € • CB-certified aluminum adapter for Cans (<i>Illy Art. 703724, UCC 703476</i>) 222,00 € | 1.749,00 € |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

ALLROUND HOME GRINDER




| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|----------------------------------|-------------------------------|---------------------------|---------------------------------------|--|--|---------------------------------------|
|  | X54 Special steel Ø= 54 mm | 19 x 42.5 x 28 | approx. 500 g or 250 g | approx. 1-2.8 g/s | <ul style="list-style-type: none"> Stainless steel dosing cup 2 swappable fronts | <ul style="list-style-type: none"> Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € Bean hopper (approx. 250 g) <i>Art. no. 704127</i> 64,90 € | 499,00 € <i>(incl. VAT)</i> |
|  | X54 Special steel Ø= 54 mm | 19 x 42.5 x 28 | approx. 500 g or 250 g | approx. 1-2.8 g/s | <ul style="list-style-type: none"> Stainless steel dosing cup 2 swappable fronts Chrome high gloss body | <ul style="list-style-type: none"> Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € Bean hopper (approx. 250 g) <i>Art. no. 704127</i> 64,90 € | 549,00 € <i>(incl. VAT)</i> |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|---|-------------------------------|-------------------------|---------------------------------------|--------------------|--|-------------------|
|  | GUATEMALA Special steel Ø= 71 mm | 22 x 62 x 33 | approx. 900 g | 13-15 g/s | • Bag holder | <ul style="list-style-type: none"> • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € • 71 mm special steel burrs (Espresso cut) <i>Art. no. 704484</i> 219,00 € | 1.999,00 € |
|  | GUATEMALA SB Special steel Ø= 71 mm | 22 x 62 x 33 | approx. 900 g | 13-15 g/s | • Vibrating basket | <ul style="list-style-type: none"> • Stainless steel dosing cup for portafilters <i>Art. no. 704123</i> 30,00 € • 71 mm special steel burrs (Espresso cut) <i>Art. no. 704484</i> 219,00 € | 1.999,00 € |




*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

INDUSTRIAL GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|---------|---------------------------------|-------------------------|---------------------------------------|--------------------|--|--|---|
|  | DK15 L | Premium cast steel Ø= 130 mm | 79 x 155 x 123 | approx. 30 kg | 105-115 kg/h | <ul style="list-style-type: none"> • Bean hopper magnet • Overload protection • Motor ventilation | <ul style="list-style-type: none"> • Pulling tool <i>Art. no. 703750</i> 98,00 € | 7.415,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 10.165,00 € |
|  | DK15 LS | Special steel Ø= 130 mm | 79 x 155 x 123 | approx. 30 kg | 120-130 kg/h | <ul style="list-style-type: none"> • Bean hopper magnet • Overload protection • Motor ventilation | <ul style="list-style-type: none"> • Pulling tool <i>Art. no. 703750</i> 98,00 € | 7.721,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 10.471,00 € |
|  | DK15 LH | Tungsten carbide Ø= 130 mm | 79 x 155 x 123 | approx. 30 kg | 120-130 kg/h | <ul style="list-style-type: none"> • Bean hopper magnet • Overload protection • Motor ventilation | <ul style="list-style-type: none"> • Pulling tool <i>Art. no. 703750</i> 98,00 € | 11.099,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 13.849,00 € |




*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

INDUSTRIAL GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE | |
|---|----------|---|-------------------------|---------------------------------------|--------------------|--|---|---|
|  | DK27 LV | Premium cast steel Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 230-250 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 16.455,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 19.205,00 € |
|  | DK27 LVS | Special steel Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 280-300 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 15.487,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 18.237,00 € |
|  | DK27 LVT | Turkish fine premium cast steel Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 170 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 16.576,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 19.326,00 € |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

INDUSTRIAL GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|---|-------------------------------|-------------------------|---------------------------------------|--|---|--|
|  | DK27 LVST Turkish fine special steel Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 180 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 15.596,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 18.346,00 € |
|  | DK27 LVH Tungsten carbide Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 260-280 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 22.554,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 25.304,00 € |
|  | DK27 LVHT Turkish fine tungsten carbide Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 220 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | <ul style="list-style-type: none"> • Pre-breaker for increased grind speeds <i>Art. no. 704165</i> 1.256,00 € | 22.784,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 25.534,00 € |



*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.



GRAIN-, PEPPER- & SPICE GRINDER

| ITEM | BURRS | DIMENSIONS (W X H X D), CM | BEAN HOPPER CAPACITY | GRINDING CAPACITY* (FINE - MEDIUM) | EQUIPMENT FEATURES | OPTIONAL ACCESSORIES | PRICE |
|---|---------|---------------------------------|-------------------------|---------------------------------------|--------------------|--|---|
|  | DP15 L | Premium cast steel Ø= 130 mm | 79 x 155 x 123 | approx. 30 kg | 200-220 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor ventilation | 7.051,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 9.801,00 € |
|  | DP27 LV | Premium cast steel Ø= 180 mm | 79 x 160 x 123 | approx. 30 kg | 230-250 kg/h | <ul style="list-style-type: none"> • Stepless grind adjustment • Bean hopper magnet • Overload protection • Motor and grinder casing ventilation | 15.542,00 € Container (200 litres): 1.065,00 € Base: 1.685,00 € Total price: 18.292,00 € |

*Grinding capacity depending on the type of coffee, the roast and the degree of fineness.

GRINDER CLEANER

| ITEM | ITEM NO. | VOLUMEN (PER SHIPMENT BOX) | WEIGHT (PER SHIPMENT BOX) | DIMENSIONS (W X H X D), CM | SHIPPING PALLET | PRICE |
|---|----------|-------------------------------|------------------------------|--------------------------------|----------------------|--|
|  <p>GRINDZ™ (Gluten free & organic) Grinder Cleaner</p> | 101855 | 12 jars each 430 g | 6 kg | 28 x 22 x 22 (shipment box) | 6 layers of 17 boxes | 306,00 € per shipment box |
|  <p>GRINDZ™ (Gluten free & organic) Grinder Cleaner</p> | 101853 | 1 jar 430 g | approx. 550 g | | | 25,50 € |

| ITEM | ITEM NO. | MATERIAL | DESCRIPTION | PRICE |
|---|----------|-----------------|--|----------------|
|  <p>STAINLESS STEEL DOSING CUP FOR PORTAFILTERS</p> | 704123 | Stainless Steel | <p>The handy, small stainless steel Mahlkönig Dosing Cup allows a precise transfer of the ground coffee grounds from the grinder directly into the portafilter basket. It is perfect for shops, households, cafes etc, also a great gift for coffee lovers.</p> <ul style="list-style-type: none"> - Designed to fit standard 58 mm portafilter baskets - Max. cup volume of about 130 ml - Capacity ground coffee = 36 g approx (50 g when compacted) - Approx. 50 g +/- 10g of whole roasted coffee beans for pre-dosing <p>Technical Data</p> <ul style="list-style-type: none"> - Height: 72 mm - Outer top (Filling opening): Ø 56.8 mm - Outer bottom (base): Ø 45 mm - Support ring: Ø 68 mm | 30,00 € |
|  <p>STAINLESS STEEL DOSING CUP</p> | 703813 | Stainless Steel | Stainless Steel cup for the X54 Allround Home Grinder | 29,75 € |

BURRS PRICE LIST

MATERIAL CHARACTERISTICS

For the production of our burrs we only use special materials that fit our requirements perfectly. Each set of Mahlkönig burrs guarantees a consistently high grinding quality.

Premium cast steel (CS)

- higher wear resistance than steel towards contaminations of non-coffee material
- provides medium duty performance

Special steel (S)

- high alloy steel
- high grinding capacity
- high wear resistance

Tungsten Carbide (TC)

- high grinding capacity
- extremely wear resistant (10-20 times over alloy steel)
- high costs of material and processing
- can be resharpened multiple times

Resharpener Service (for TC only)

| | |
|-----------------|------------|
| VTA6S | 1.381,00 € |
| DK15 LH | 1.750,00 € |
| DK27 LH | 2.750,00 € |
| DK27 LHT | 2.989,00 € |

Please contact our Hemro Service for resharpening requests.

Ceramic (C)

- extremely high abrasion resistance
- high lifetime
- unique material and production procedure

BURRS PRICE LIST

| ARTICLE NO. | FOR TYPE OF GRINDER | MATERIAL | DIMENSIONS (IN MM) | PRICE (€) |
|-----------------------|---|----------|-----------------------|-----------|
| COFFEE | | | | |
| 703738 | X54 | S | 54 | 67,90 |
| 275137 | VARIO Home | S | 54 | 90,30 |
| 101272 | VARIO Home (coarse), VARIO-W | S | 54 | 113,30 |
| 103631 | ProM | S | 65 | 120,80 |
| 303898 | Kenia (K22/K32), Gua F, Gua Lab | S | 65 | 156,40 |
| 703562 | Guatemala (from 2020), Guatemala SB (from 2020), Gua All-In-One, K32SLG | S | 71 | 196,70 |
| 704484 | Guatemala (from 2020), Guatemala SB (from 2020) | S | 71 | 219,00 |
| 309700 | Guatemala (K22S/K32S), Costa Rica (RK) | S | 71 | 213,90 |
| 303921 | Guatemala SB (K22SB/K32SB) | S | 73 | 264,00 |
| 275312 | Tanzania | S | 80 | 281,80 |
| 703804 | EK43, EK43 S, EKK43, EK Omnia | CS | 98 | 456,60 |
| 303912 | VTA 6S / VTA 8S (from serial no. 302711), burr height 9,4 mm | S | 120 | 468,10 |
| 305376 | VTA 6S (from serial no. 302711), burr height 9,4 mm | TC | 120 | 3.413,20 |
| 303916 | VTA 6SW (only 1-phase) | S | 120 | 458,90 |
| 303941 | DK15 LS | S | 130 | 686,60 |
| 303948 | DK15 L | CS | 130 | 473,80 |
| 308293 | DK15 LHM | TC | 130 | 4.294,10 |
| 303950 | DK27 LS | S | 180 | 1.198,30 |
| 303952 | DK27 L | CS | 180 | 2.306,90 |
| 305226 | DK27 LHM | TC | 180 | 6.456,10 |
| COFFEE TURKISH | | | | |
| 703803 | EK43 T | CS | 98 | 481,30 |
| 100883 | VTA 6S THM | TC | 120 | 3.499,50 |
| 303962 | VTA 6S T / VTA 8S T 9,4 mm (from serial no. 302711) | S | 120 | 480,70 |
| 303862* | VTA 6S T / VTA 8S T 11,0 mm (till serial no. 302710) | S | 120 | 480,70 |
| 303954 | DK27 LST | S | 180 | 1.262,70 |
| 306188 | DK27 LT | CS | 180 | 2.394,30 |
| 305227 | DK27 LTHM | TC | 180 | 6.793,10 |

BURRS PRICE LIST

| ARTICLE NO. | FOR TYPE OF GRINDER | MATERIAL | DIMENSIONS (IN MM) | PRICE (€) |
|----------------------------|-----------------------------|----------|-----------------------|-----------|
| ESPRESSO | | | | |
| 703804 | EK Omnia | CS | 98 | 456,60 |
| 703738 | X54 | S | 54 | 67,90 |
| 701619 | E80S, E80S GbW, E80W GbS | S | 80 | 299,00 |
| 275123 | E65S GbW | S | 65 | 114,00 |
| 103631 | ProM Espresso | S | 65 | 120,80 |
| 275123 | K30 ES, K30 Vario, K30 TWIN | S | 65 | 114,00 |
| 105780 | E80S, PEAK | CS | 80 | 474,00 |
| 275123 | E65S | S | 65 | 114,00 |
| 304031 | K60 ES | S | 65 | 80,50 |
| 304014 | VTA 6S/VTA 8S | S | 120 | 428,50 |
| GRAIN | | | | |
| 703801 | EG43 | CS | 98 | 484,80 |
| 303716* | VTA 6S G | S | 120 | 1490,00 |
| 303948 | DG15 L | CS | 130 | 473,80 |
| SPICES & PEPPER | | | | |
| 703804 | EP43 | CS | 98 | 456,60 |
| 303948 | DP15 L | CS | 130 | 474,00 |
| 303952 | DP27 L | CS | 180 | 2.306,90 |
| LINSEED | | | | |
| 703635 | EL43 | CS | 98 | 456,60 |
| POPPY SEED | | | | |
| 703216 | EM43 | CS | 98 | 474,00 |
| 303945 | DM15 LS | S | 130 | 841,80 |

STANDARD COLORS

| ITEM | STANDARD COLORS |
|--|--|
| ALLROUND HOME GRINDER | |
| X54 | <ul style="list-style-type: none"> • Matte black • Matte white • Chrome high gloss <p><i>Colors apply to all Home Grinders listed on the left.</i></p> |
| ESPRESSO GRINDER | |
| E80S E80S GBW E65S E65S GBW E80W GbS | <ul style="list-style-type: none"> • Polished aluminum, matte black • Polished aluminum, matte black & white <p><i>Colors apply to all Espresso Grinders listed on the left.</i></p> |
| ALLROUND GRINDER | |
| EK Omnia EK43 S EK43 ST EK43 EK43 T | <ul style="list-style-type: none"> • Fine textured finish, matte black • Fine textured finish, matte white <p><i>Colors apply to all Allround Grinders listed on the left.</i></p> |
| SHOP GRINDER | |
| GUATEMALA GUATEMALA SB | <ul style="list-style-type: none"> • Matte black <p><i>Colors apply to all Shop Grinders listed on the left.</i></p> |
| INDUSTRIAL GRINDER | |
| DK15 DK27 | <ul style="list-style-type: none"> • Textured, reddish grey <p><i>Colors apply to all Industrial Grinders listed on the left.</i></p> |

SPECIAL COLORS

| ITEM | MINIMUM QUANTITY | COLORS | PRICE |
|----------------|------------------|----------------|----------------------|
| EK43 | | | |
| Special colors | from 12 grinders | all RAL-colors | 300,00 € per grinder |

GENERAL CONDITIONS OF SALE

1. General

1.1 These General Conditions of Sale shall apply to all supplies of Products and Services of HEMRO International AG, Thurgauerstrasse 80, CH-8050 Zürich („HEMRO“) to Customer. They shall also apply to all future contracts even when no express reference is made.

1.2 Deviating or supplementary conditions, such as Customer's General Conditions of Purchase, or verbal agreements shall only be binding if accepted by HEMRO in writing. Any communication transmitted via facsimile or electronically (e.g., via the Internet, including but not limited to EDI, cXML, e-mail) shall be considered "in writing".

2. Formation of Contract, Minimum Purchase, Product Changes

2.1 HEMRO shall be bound only to offers specifying a period for acceptance. Customer's order must be firm for at least 10 days after receipt by HEMRO.

2.2 In case of order values (exclusive of taxes, other dues and costs of transport) below CHF 500.--, HEMRO reserves the right to charge a handling fee of CHF 40.--.

2.3 HEMRO's confirmation of order shall govern the scope and execution of the contract.

2.4 HEMRO may deviate from the agreed specifications and supply technically improved Products, as long as the improved Products have no negative impact on price, function and quality of the Products.

3. Technical Documents, Copyright

HEMRO reserves all intellectual property rights in the documents supplied to Customer. Without HEMRO's consent these documents may neither be made available to third parties or used to manufacture copies of the Products. At its request, technical documents which had been made available in tangible form are to be returned to HEMRO.

4. Local Laws and Regulations

Customer shall in due time bring to HEMRO's attention any laws or regulations at the place of destination, in particular relating to safety, health or regulatory approvals required for the Products.

5. Price, Terms of Payment, No Set-Off

5.1 The Prices are based on the agreed Incoterm (2010 or latest edition); in the absence of an agreed Incoterm they are understood FCA place of production.

5.2 Payments are to be effected at the agreed dates, failing such agreement, within 10 days following notification of readiness of despatch (prepayment).

5.3 If Customer is more than 14 calendar days in arrear in effecting payment or in providing an agreed security, the balance of the total Contract Price shall become due.

5.4 Customer may only withhold or set-off payments against counter claims which are either expressly acknowledged by HEMRO or judicially awarded to Customer by final judgment. Provided it has no material impact on the use of the Products, the delay of an insignificant part of the supplies does not entitle the Customer to defer payments.

6. Reservation of Title

6.1 Until payment in full the Products shall remain HEMRO's property. HEMRO shall be entitled to register and do all things necessary to preserve its property rights. Prior to the transfer of title, Customer shall not be entitled to pledge, grant security interests, process or alter the Products.

6.2 Should the Customer resell Products to which title is reserved in the ordinary course of business, he shall be deemed to have tacitly assigned to HEMRO the receivables deriving from their sale, together with all collaterals, securities and reservations of title until all of HEMRO's claims towards Customer have been settled. Up to HEMRO's revocation, this assignment shall not preclude Customer's

right to collect the assigned receivables. To the extent the value of the Products to which title is reserved together with any other col-lateral exceeds HEMRO's claims against the Customer by more than 20%, HEMRO shall re-assign the above receivables to Customer at his request.

6.3 If Customer is in arrear with its payments by more than 14 calendar days, HEMRO may cancel the contract and request the return of the Product at Customer's cost and claim damages for breach of contract in the amount of at least 25 % of the Price of the Product. As long as title is reserved to HEMRO, Customer shall insure the Products at its cost and naming HEMRO as beneficiary against theft, breakage, fire, water and similar calamities and risks. In addition, he will take all other measures reasonably required to protect HEMRO's property.

7. Delivery Period, Delays in Delivery and Acceptance

7.1 The term of delivery shall commence as soon as the contract has been concluded, all regulatory approvals, such as export-, import- and payment permits have been obtained, any advance- or prepayments or the notification of the issue of the letter of credit have been received by HEMRO and soon as all technical documents agreed between the Parties have been supplied or approved by Customer.

7.2 Delivery is subject to the following conditions, i.e. the term of delivery shall be reasonably extended

a) if HEMRO is prevented from performing the contract by Force Majeure. Force majeure shall equally be deemed to be any unforeseeable event beyond HEMRO's control which renders HEMRO's performance commercially unpractical or impossible, such as delayed or defective supplies from sub-contractors or sub-suppliers, labour disputes, governmental orders or regulations, shortage in materials or energy, serious disruptions in HEMRO's works, such as total or partial destruction of plant and equipment or the breakdown of essential production facilities, serious disruptions in transport facilities, e.g. impassable roads. Should the effect of Force Majeure exceed a period of three (3) months, either Party may terminate the contract forthwith. In such case Customer may not claim damages.

b) if Customer is in delay with the fulfilment of his obligations under the contract, in particular, if he does not adhere to the agreed terms of payment or if he has failed to

GENERAL CONDITIONS OF SALE

timely provide the agreed security.

7.3

If for reasons attributable to HEMRO the agreed term of delivery or a reasonable extension of not less than one month granted by Customer is exceeded, Customer may exert its rights at law. Subject to Clause 11, damage claims shall be limited to maximum 10% of the Price of the Products in delay.

7.4

Part shipments shall be permitted and HEMRO may invoice each part shipment. If Customer fails to take delivery of the Products notified as ready for despatch or if he cancels the order without cause and if he fails to remedy such breach within latest 7 days' from HEMRO's notice, HEMRO shall be entitled to rescind the contract and claim damages pursuant to Clause 6.3.

8. Packaging, Shipping, Transfer of Risk

8.1

If the Products are to be provided with additional packing above the standard packing, such packing shall be charged additionally.

8.2

Unless agreed otherwise in the contract, the Products shall be shipped FCA place of production (Incoterms 2010 or latest edition). This equally applies if the transport is arranged by HEMRO.

8.3

Transport insurance shall be for Customer's account. The same applies if transport insurance is taken out by HEMRO on behalf of Customer.

8.4

Customer shall timely, at least one (1) week prior to the agreed despatch date, notify special requests regarding carriage and insurance. Otherwise HEMRO shall, at its discretion but without liability, arrange for the quickest and cheapest carriage possible.

8.5

In case of carriage-paid delivery, transport arrangements shall be made by HEMRO. Additional costs resulting from special requests by Customer shall be for Customer's account.

8.6

Transport damages, missing or wrong items must be noted on the notice of receipt and documented by photo records.

9. Inspection, Notification of Defects

9.1

During manufacture the Products will be subject to HEMRO's standard inspections.

9.2

Additional tests must be required by Customer in due time and shall be charged separately.

9.3

Customer shall inspect the Products within one week after receipt with regard to readily identifiable discrepancies from the contract specifications, in particular regarding function and performance and shall notify HEMRO any such defects or deficiencies latest within another week.

10. Warranty, Statute of Limitations

10.1

In case of wrong deliveries, the delivery of defective Products or in case of defects resulting from false commissioning-, operation- or maintenance instructions Customer may, at HEMRO's election and cost, either request repair or replacement, provided that the remedy offered by HEMRO is not unduly burdensome on Customer. Replaced Products or parts shall, at its request, become again HEMRO's property.

10.2

For Products which are manufactured to specifications, drawings or patterns supplied by Customer, HEMRO's warranty shall be limited to proper materials and workmanship.

10.3

Customer shall be entitled to rescind the contract or to demand a reduction of the Price if

- the repair or replacement of the defective Product is impossible;
- HEMRO refuses the repair or replacement or if for reasons attributable to HEMRO the repair or replacement is delayed.

10.4

The warranty given hereunder shall not apply to defects or damages resulting from normal wear and tear, improper storage and maintenance, failure to observe the commissioning- or operating instructions, overstressing or overloading, unsuitable operating media, improper re-pairs or alterations by Customer or third parties, defects resulting from the use of other than original spare parts or other reasons beyond HEMRO's control.

10.5

No action or claim may be brought by Customer on account of any alleged breach of warranty or any other obligation or liability of HEMRO after the expiration of twelve (12) months from receipt of the Products by the end user or at the latest within eighteen (18) months from the receipt of the Products by HEMRO. The warranty for repaired or replaced parts or Products expires 6 months from the date of replacement or repair, at the earliest however upon expiry of the original warranty period for the Product. Reservation is being made for longer statutes of limitation under mandatory law.

11. Limitation of Liability

The rights and remedies of Customer are exclusively governed by these General Conditions of Sale and shall be in lieu of any remedies at law. All further claims for damages, reduction of the Price, termination of or rescission of the contract are excluded. Customer shall not be entitled to claim damages for loss of production, loss of use, loss of orders, loss of profit, loss of anticipated savings, loss of data, costs for dismantling or of the Product or handling costs for claims management, as well as for claims of third parties for such damages or costs. HEMRO's liability for damage to property shall be limited to CHF 100'000 per occurrence and calendar year. This limitation of liability equally applies to the extent HEMRO is liable for acts or omissions of its employees or third parties engaged in the performance of its obligations. It does not apply to the extent HEMRO's liability is mandatory, in particular in case of unlawful intent or gross negligence on the part of HEMRO and its employees or third parties engaged in the performance of the contract, in case of fraudulent concealment of a defect, for personal injury or death or under HEMRO's mandatory liability under applicable Product Liability Acts.

12. Protection of Personal Data

12.1

In compliance with the provisions of data protection, HEMRO processes personal data that the customer transfers to HEMRO in execution of this contract (e.g. first and last name, invoice and delivery address, e-mail address, invoice and payment data) in order to accept and process the orders. For this purpose, HEMRO may also transfer this data to third parties and cooperate with so-called „processors“ (e.g. partner companies, logistics companies, shipping partners and payment service providers).

12.2

In addition, HEMRO processes the customer's personal data for the purpose of complying with legal obligations as well as fraud prevention and, if necessary, for the transmission of claims to collection service providers.

12.3

If the EU Data Protection Regulation (GDPR) is applicable, the legal basis for the aforementioned data processing purposes is either Art. 6 (1)(1)(b), (c) or (f) GDPR. Otherwise the legal basis results from the relevant data protection regulations.

12.4

HEMRO will delete the personal data as soon as they are no longer required for the aforementioned purposes or in the event of an objection, unless the deletion conflicts with compelling legitimate grounds of HEMRO (e.g. assertion, exercise or defense of legal claims).

12.5

Further details and information on data protection, in particular on the rights of data subjects, can be found in HEMRO's data protection policy [<https://www.hemrogroup.com/en/node/13>]. In case the GDPR is not applicable, the relevant data protection provisions apply accordingly instead of the GDPR provisions stated here.

13. Severability

If any one or more of the provisions of these terms and conditions shall be determined to be invalid, illegal, or unenforceable, in whole or in part, or if an unintentional gap in the provisions of these terms and conditions becomes

apparent, the validity, legality, and enforceability of any of the remaining provisions or portions thereof shall not in any way be affected thereby and shall nevertheless be binding between the Parties hereto. Any such invalid, illegal, or unenforceable provision or portion of these terms and conditions shall be changed and interpreted, and any unintentional gap filled, so as to best accomplish the objectives of such provision or portion thereof in light of the purpose of these terms and conditions and within the limits of applicable law.

14. Place of Fulfilment, Applicable Law, Jurisdiction

14.1

Unless otherwise agreed in a Purchase Order the place of fulfillment shall be the place of production.

14.2

The contract shall be governed and construed under Swiss law, its conflicts of law provisions and the Convention on the International Sale of Goods (CISG) being excluded.

14.3

Exclusive jurisdiction for all claims out of or in connection with this contract shall revert to the competent courts at HEMRO's place of business in Zürich, Switzerland. HEMRO shall be entitled to bring action in any other competent court.

The contractual relationship is subject to Swiss law.
Zürich, 06.11.2023

HEMRO International AG
Thurgauerstrasse 80 | CH-8050 Zürich

HEMRO

Hemro International AG
Thurgauerstrasse 80 | 8050 Zurich, Switzerland
T: +41 44 864 18 00 | F: +41 44 864 18 01
info@hemrogroup.com | www.hemrogroup.com